FS 2.60/9:10/53

Morbidity and Mortality Weekly Report

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

Prepared by the COMMUNICABLE DISEASE CENTER MElrose 4-5131

October 31, 1962 ATLANTA 22, GEORGIA Vol. 10, No. 53

ANNUAL SUPPLEMENT

Reported Incidence of Notifiable Diseases in the United States, 1961

OFFICIAL LIBRARIES NOV 1962

This supplement presents final figures on the reported incidence of notifiable diseases in 1961 based on summaries submitted by the individual States and Territories of the United States.

In 1961, the incidence of hepatitis reached a total of 72,651 cases, the largest number reported since hepatitis was added to the list of notifiable diseases ten years ago.

The graph below shows the reported incidence of hepatitis by month foi the ten year period, 1952-1961. A seven year interval between years of maximum incidence may be observed. A seasonal increase in occurrence during the late winter and early spring months is apparent.

Poliomyelitis declined to the low figure of 1,312 cases (including nonparalytic and unspecified). This is the lowest figure reported in an annual summary since 1914.

A variety of tables as described in the Index, (page 2), present the data on notifiable diseases in 1961.



INDEX OF TABLES

		Page
Table 1.	Diseases Covered by International Quarantine Agreement	3
Table 2.	Reported Cases of Specified Notifiable Diseases: United States, 1952-1961	4
Table 3.	(A) Deaths from Specified Notifiable Diseases: United States, 1951-1960	5
	(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1951-1960	6
Table 4.	Reported Cases of Notifiable Diseases by Month: United States, 1961	7
Table 5.	Reported Cases of Specified Notifiable Diseases: United States, by Geographic Division, by State, 1961	8
Table 6.	Reported Cases of Notifiable Diseases of Low Frequency: United States, by State, 1961	12
Table 7.	Incidence of Notifiable Diseases Reported by Territory of Guam, 1961	12
Table 8.	Newly Reported Active Tuberculosis Cases: United States, by Geographic Division, by State, by Age, 1961	13
Table 9.	Newly Reported Cases of Venereal Diseases: United States, by Geographic Division, by State; Age and Sex, (Civilian Cases only), 1961	14
Table 10.	Rabies in Man and Animals, by State, by Type of Animal, United States, 1961	15
Table 11.	Reported Cases of Selected Notifiable Diseases by State, by Age, 1961	16
Table 12.	Reported Cases of Selected Notifiable Diseases by Month, by State, 1961	22
Table 13.	Acute Diseases Optionally Reported to the Public Health Service, by State, 1961	24
Table 14.	Other Diseases Optionally Reported (Diseases reported by six States or less)	27

EXPLANATION OF SYMBOLS USED IN TABLES

Data not available-------.....
Quantity zero---------- -

TABLE 1. REPORTED INCIDENCE OF DISEASES COVERED BY INTERNATIONAL QUARANTINE AGREEMENT, 1952 - 1961

International Classification of Diseases Covered		Number Reported									
		1961	1960	1959	1958	1957	1956	1955	1954	1953	1952
043	Cholera	-	-	-	-	-	-	-	-	-	-
058	Plague	3	2	4	-	1	1	-	-	-	-
071.0	Louse-borne relapsing fever	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-
091	Yellow fever	-	-	-	-	-	-	-	-	-	-
100	Louse-borne epidemic typhus	-	-	-	-	-	-	-	-	-	-

Plague Cases in 1961

Date and Place Acquired	Age and Sex		Outcome
July, New Mexico	38	Male	Fatal, 7/29/62, Massachusetts
July, New Mexico	38	Male	Fatal, 7/30/62, New Mexico
Aug., New Mexico	23	Male	Recovered

TABLE 2. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1952 - 1961

DISEASE	1961[1]	1960[1]	1959[1]	1958	1957	1956	1955	1954	1953	1952
Amebiasis	2,850	3,424	3,508	4,380	5,031	3,689	3,348	3,523	4,444	4,280
Anthrax	14	23	12	16	26	38	39	22	45	47
Aseptic Meningitis	5,162*	1,593	.....not previously reportable nationally.....							
Botulism	14	12	20	6	28	17	16	18	18	18
Brucellosis (undulant fever)	636	751	892	924	983	1,300	1,444	1,823	2,032	2,537
Diphtheria	617	918	934	918	1,211	1,568	1,984	2,041	2,355	2,960
Encephalitis, total acute infectious	2,248	2,341	2,437	2,587	2,135	2,624	2,166	2,606	1,935	1,912
Hepatitis, infectious and serum	72,651	41,666	23,574	16,294	14,922	19,234	31,961	50,093	33,700	17,428
Leprosy	63	54	44	39	36	52	75	56	60	57
Leptospirosis	71	53	83	55	47	44	24	48	42	62
Malaria	73	72	71	85	132	234	522	715	1,310	7,023
Measles	423,919	441,703	406,162	763,094	486,799	611,936	555,156	682,720	449,146	683,077
Meningococcal infections	2,232	2,259	2,180	2,581	2,691	2,735	3,455	4,436	5,077	4,884
Pertussis (whooping cough)	11,468	14,809	40,005	32,148	28,295	31,732	62,786	60,886	37,129	45,030
Poliomyelitis, Total	1,312	3,190	8,425	5,787	5,485	15,140	28,985	38,476	35,592	57,879
Paralytic	988	2,525	6,289	3,697	2,499	7,911	13,850	18,308	15,648	21,269
Nonparalytic	305	626	2,045	1,941	2,826	6,555	12,453	13,221	12,144	12,802
Unspecified	19	39	91	149	160	674	2,682	6,947	7,800	23,808
Psittacosis	102	113	147	158	278	568	334	563	169	135
Rabies in Man[2]	3	2	7	5	5	10	4	13	12	24
Rheumatic Fever, acute	10,470	9,022	8,285	6,889	6,427	6,562	.....not previously reportable nationally.			
Salmonellosis, excluding typhoid fever	8,542	6,929	6,606	6,363	6,693	6,704	5,447	5,375	3,946	2,596
Scarlet Fever and streptococcal sore throat	338,410	315,173	334,715	264,097	226,973	176,392	147,502	147,785	132,935	113,677
Shigellosis (bacillary dysentery)	12,571	12,487	12,888	11,861	9,822	10,306	13,912	13,846	16,533	23,197
Tetanus	379	368	445	445	447	468	462	524	506	484
Trichinosis	306	160	227	176	178	262	264	277	395	367
Tuberculosis (newly reported active cases)[3]	53,727	55,494	57,307	63,000	66,437	68,866	76,245	78,592	83,250	85,607
Tularemia	365	390	459	587	601	522	584	681	601	668
Typhoid Fever	814	816	859	1,043	1,231	1,700	1,704	2,169	2,252	2,341
Typhus Fever, flea-borne (endemic, murine)	46	68	51	71	113	98	135	163	221	205
Typhus Fever, tick-borne (Rocky Mountain Spotted)	219	204	199	243	240	293	295	294	313	327
Venereal Diseases (newly reported cases)[4]										
Syphilis	124,658	122,003	120,766	113,894	123,758	130,168	122,392	130,697	148,573	167,762
Gonorrhea	264,158	258,933	240,158	232,513	214,496	224,342	236,197	242,050	238,340	244,957
Other specified venereal diseases: chancroid, granuloma inguinale and lymphogranuloma venereum	2,466	2,811	2,459	2,343	2,433	2,981	3,913	4,496	4,988	5,889
Rabies in Animals	3,599	3,567	4,177	4,787	4,542	5,681	5,799	7,297	8,903	8,445

1. Figures include Alaska from 1959; Hawaii from 1960. Both are excluded in prior years.
2. Figures for cases of rabies in man represent registered deaths, 1952 - 1960.
3. Figures are from the Tuberculosis Program, Public Health Service.
4. Figures are from the Venereal Disease Program, Public Health Service (civilian cases only).

* Includes Meningitis, other for some states.
See Table 5, Page 8 for details.

TABLE 3. (A) DEATHS FROM SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1951 - 1960

(Figures for 1960 include Alaska and Hawaii; 1959 includes Alaska; neither are included in prior years. Numbers after cause of death are category numbers of the Seventh Revision, International Classification of Diseases, 1955.)

CAUSE OF DEATH		1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
Amebiasis	046	88	124	86	95	130	106	131	129	136	148
Anthrax	062	-	-	1	2	-	-	-	-	3	3
Botulism	049.1	12	15	4	11	14	18	14	17	14	31
Brucellosis	044	6	12	8	8	9	10	15	18	23	34
Diphtheria	055	69	72	74	81	103	150	145	156	217	302
Encephalitis, acute infectious	082	528	570	537	465	424	398	407	386	471	429
Hepatitis, infectious	092	938	897	897	897	806	841	821	821	794	675
Leprosy	060	6	6	3	3	6	5	4	7	4	3
Leptospirosis	072	14	11	11	9	8	10	14	17	12	13
Malaria	110 - 117	4	7	6	14	11	18	24	32	25	64
Measles	085	380	385	552	389	530	345	518	462	618	683
Meningitis, except meningococcal and tuberculous	340	2,316	2,208	2,247	2,025	1,933	1,873	1,829	2,059	1,918	1,881
Menigococcal infections	057	644	699	746	785	762	907	1,015	1,325	1,386	1,124
Pertussis (whooping cough)	056	118	269	177	183	266	467	373	270	402	951
Plague	058	-	1	-	-	1	-	-	-	-	-
Poliomyelitis	080	230	454	255	221	566	1,043	1,368	1,450	3,145	1,551
Bulbar or polioencephalitis	080.0	146	299	164	151	402	747	981	1,030	2,320	1,094
With other paralysis	080.1	14	24	21	13	38	53	65	60	95	59
Unspecified	080.3	70	131	70	57	125	243	321	360	730	398
Psittacosis	096.2	-	1	3	3	3	3	3	4	5	1
Rabies	094	2	7	5	5	10	4	13	12	24	18
Rheumatic Fever, acute	400 - 402	734	795	806	900	1,033	1,131	1,297	1,523	1,583	1,648
Salmonellosis, including paratyphoid fever	041 - 042	82	72	65	60	62	62	48	72	42	31
Scarlet Fever and Streptococcal Sore Throat	050 - 051	108	130	139	213	240	235	262	295	351	347
Shigellosis (bacillary dysentery)	045	153	133	157	156	156	187	243	337	334	356
Tetanus	061	231	283	303	279	246	265	332	337	360	394
Trichinosis	128	3	3	4	4	5	4	1	7	10	10
Tuberculosis (all Forms)	001 - 019	10,866	11,456	12,361	13,324	14,061	14,940	16,392	19,544	24,621	30,863
Tularemia	059	3	7	6	3	4	9	4	7	8	9
Typhoid Fever	040	21	22	23	34	54	34	45	52	78	83
Typhus Fever - flea-borne (murine)	101	-	-	-	2	-	-	-	-	-	-
Typhus Fever - tick-borne (Rocky Mountain Spotted)	104	11	10	14	18	16	8	10	21	20	26
Venereal Diseases and Sequelae											
Syphilis	020 - 029	2,945	3,069	3,469	3,825	3,870	3,834	4,835	5,273	5,854	6,445
Gonorrhea	030 - 035	38	25	18	21	28	23	15	29	45	43
Other	036 - 039	15	12	20	18	20	28	29	36	38	42

Source: National Vital Statistics Division, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 3. (B) DEATHS FROM SELECTED NON-NOTIFIABLE ACUTE DISEASES: UNITED STATES, 1951 - 1960

DISEASE		1960	1959	1958	1957	1956	1955	1954	1953	1952	1951
Abscess of Lung	521	604	614	652	601	595	500	505	537	526	566
Boil and carbuncle	690	120	156	117	99	58	43	44	43	45	34
Other local skin conditions (cellulitis and abscess)	691 - 698	512	476	436	384	355	283	291	279	269	339
Chickenpox	087	126	141	146	113	116	88	120	132	101	94
Diarrhea of Newborn	764	463	492	531	516	527	547	700	697	773	687
Empyema and Pleurisy	518 - 519	456	468	424	450	416	429	433	410	425	385
Erysipelas	052	22	28	26	27	33	28	39	45	52	46
Fungal Infections											
Actinomycosis	132	28	27	21	15	24	23	17	30	25	37
Coccidioidomycosis	133	55	48	50	53	54	62	78	85	60	68
Blastomycosis	134.0	15	13	24	28	27	19	24	23	27	28
Cryptococcosis	134.1	71	84	39	55	66	74	56	48	46	39
Histoplasmosis	134.2	80	63	73	77	67	53	59	55	51	34
Moniliasis	134.3	108	101	93	82	105	87	75	77	82	70
Gastroenteritis and Colitis (Age 4 wks - 2 yrs)	571.0	2,957	2,862	3,066	3,412	3,166	3,663	3,900	4,588	4,869	4,397
Herpes febrilis	096.0	12	26	26	13	13	7	14	9	13	9
Herpes Zoster	088	78	58	46	47	52	45	44	61	53	65
Hydatid disease	125	10	8	14	5	8	8	8	8	6	8
Infections of Ear and Mastoid	390 - 394	389	399	434	404	387	474	459	472	471	494
Meningitis, excluding Meningococcal and Tuberculous	340	2,316	2,208	2,247	2,025	1,933	1,873	1,829	2,059	1,918	1,881
Mononucleosis, infectious	093	16	21	16	15	18	10	16	12	19	14
Mumps	089	42	51	37	45	49	43	45	46	55	48
Pemphigus	704	149	168	142	170	149	172	150	164	200	263
Pemphigus, neonatorum	766	30	23	26	23	22	27	33	27	21	25
Respiratory infections											
Bronchitis, acute	500	1,170	1,135	1,352	1,202	1,105	1,080	990	1,010	1,038	980
Influenza	480 - 483	7,872	2,845	4,442	7,463	2,323	2,755	2,680	9,460	5,631	6,946
Pneumonia (primary cause of death)	490 - 493	58,931	52,194	52,997	53,538	44,780	41,755	38,311	42,778	40,634	41,223
Pneumonia of newborn	763	3,544	3,761	3,918	3,715	3,400	3,108	3,140	3,074	2,943	2,825
Upper respiratory infections, acute	470 - 475	911	971	936	1,045	901	904	954	1,043	1,067	909
Sepsis of											
Abortion	651	191	179	159	169	136	159	170	177	191	189
Childbirth	680 - 681	76	58	50	54	48	43	56	52	81	94
Newborn	767 - 768	749	786	1,055	832	662	518	485	388	356	387
Septicemia and Pyemia	053	1,920	1,760	1,663	1,351	1,118	938	897	783	726	677
Viral diseases, undifferentiated	096.9	434	384	308	267	302	312	255	254	324	312
Worm Infestation	126 - 130	56	65	63	56	59	60	61	93	93	89

Source: National Vital Statistics Division, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 4. REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH: UNITED STATES, 1961

DISEASE	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Month not Stated
Amebiasis	2,850	231	240	273	234	207	239	176	270	235	249	233	255	8
Anthrax	14	2	-	2	2	-	1	1	-	1	-	1	4	-
Aseptic Meningitis	5,162*	243	226	218	272	302	290	549	918	823	571	353	394	3
Botulism	14	1	4	-	-	4	-	-	-	1	3	-	1	-
Brucellosis (undulant fever)	636	42	38	53	58	62	60	72	54	43	23	41	48	42
Diphtheria	617	93	55	44	35	43	25	28	35	50	61	65	83	-
Encephalitis, total acute infectious	2,248	137	120	188	177	189	193	183	231	257	193	140	149	91
Hepatitis, infectious and serum	72,651	6,703	7,524	8,253	7,861	6,851	5,089	4,752	4,836	4,912	4,791	5,024	6,002	53
Leprosy	63	-	4	3	5	10	4	6	4	3	6	4	14	-
Leptospirosis	71	3	1	5	4	4	4	2	6	6	6	5	21	4
Malaria	73	2	2	7	4	6	5	8	7	11	8	11	2	-
Measles	423,919	35,517	46,885	68,282	71,579	81,224	56,474	19,406	6,804	3,107	5,252	11,114	18,200	75
Meningococcal infections	2,232	223	198	227	205	211	153	155	150	113	187	180	229	1
Pertussis (whooping cough)	11,468	812	865	928	808	922	853	845	1,135	1,053	1,049	1,101	1,090	7
Poliomyelitis, Total	1,312	32	24	30	35	46	64	130	261	302	197	98	93	-
Paralytic	988	26	19	23	27	36	48	89	195	219	146	80	80	-
Nonparalytic	305	4	5	6	7	10	15	39	62	80	48	17	12	-
Unspecified	19	2	-	1	1	-	1	2	4	3	3	1	1	-
Psittacosis	102	7	5	10	3	8	18	3	7	3	4	7	27	-
Rabies in Man	3	2	-	-	-	-	-	-	-	-	1	-	-	-
Rheumatic fever, acute	10,470	917	883	1,231	1,011	1,076	854	764	672	647	694	619	635	467
Salmonellosis, excluding typhoid fever	8,542	500	657	576	616	644	634	788	1,066	694	754	838	774	1
Scarlet fever and streptococcal sore throat	338,410	38,141	44,044	49,996	38,534	32,305	20,304	13,761	14,033	15,580	18,044	24,203	29,463	2
Shigellosis (bacillary dysentery)	12,571	615	683	801	909	877	1,084	978	1,180	1,405	1,499	1,206	1,327	7
Tetanus	379	26	25	22	23	29	32	36	34	45	35	31	41	-
Trichinosis	306	72	53	28	49	16	6	11	17	17	16	12	9	-
Tularemia	365	25	12	23	18	22	23	41	46	41	18	24	71	1
Typhoid Fever	814	44	35	40	45	57	74	91	127	105	88	61	47	-
Typhus fever														
Flea-borne (endemic-murine)	46	4	3	4	1	2	4	5	6	2	7	4	4	-
Tick-borne (Rocky Mountain spotted)	219	3	1	-	3	32	49	58	46	16	5	3	3	-
Rabies in Animals	3,599	220	289	363	418	319	288	327	279	276	271	264	277	8

* Includes Meningitis, other for some States.

See Table 5, page 8.

TABLE 5. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1961

AREA	AMEBIASIS	ASEPTIC MENINGITIS	BRUCELLOSIS	DIPHTHERIA	ENCEPHALITIS, INFECTIOUS, ACUTE	
					ARTHROPOD-BORNE	OTHER
UNITED STATES	2,850	5,162	636	617	79	2,169
NEW ENGLAND	41	517	7	7	-	91
Maine	1	74*	-	-	-	9
New Hampshire	2	8*	-	-	-	3
Vermont	1	8*	1	-	-	1
Massachusetts	3	302*	2	6	-	34
Rhode Island	9	72	-	-	-	20
Connecticut	25	53*	4	1	-	24
MIDDLE ATLANTIC	1,032	756	17	19	-	476
New York	858	556*	11	6	-	282
New Jersey	133	137	2	-	-	100
Pennsylvania	41	63	4	13	-	94
EAST NORTH CENTRAL	213	1,350	80	17	1	358
Ohio	13	147*	4	1	-	56
Indiana	5	28	5	3	-	82
Illinois	110	655*	59	10	-	164
Michigan	84	475*	9	3	-	51
Wisconsin	1	45*	3	-	1	5
WEST NORTH CENTRAL	76	533	349	69	7	148
Minnesota	2	210	19	45	1	79
Iowa	14	176*	219	2	-	7
Missouri	17	13	1	2	1	14
North Dakota	-	103	2	4	-	6
South Dakota	-	5	18	5	3	-
Nebraska	-	-	32	11	-	14
Kansas	43	26	58	-	2	28
SOUTH ATLANTIC	223	425	51	152	29	196
Delaware	-	-	-	-	-	3
Maryland	26	91*	1	1	-	36
District of Columbia	1	11	-	5	-	5
Virginia	43	86	18	13	-	25
West Virginia	-	22	-	-	-	5
North Carolina	14	-	8	12	-	28
South Carolina	3	27*	-	14	5	4
Georgia	4	94*	14	64	-	17
Florida	132	94	10	43	24	73
EAST SOUTH CENTRAL	142	297	28	52	-	87
Kentucky	19	75*	2	9	-	8
Tennessee	23	37	13	2	-	18
Alabama	47	39	2	27	-	6
Mississippi	53	146*	11	14	-	55
WEST SOUTH CENTRAL	259	281	57	271	24	118
Arkansas	26	18	19	4	-	27
Louisiana	31	-	13	46	-	NN
Oklahoma	101	18	11	9	-	22
Texas	101	245	14	212	24	69
MOUNTAIN	271	194	20	13	8	98
Montana	-	22*	3	3	-	6
Idaho	-	-	-	-	-	3
Wyoming	2	4	2	-	-	3
Colorado	6	94*	3	4	2	52
New Mexico	33	29	2	5	-	12
Arizona	227	21*	3	-	-	13
Utah	1	22*	7	-	6	9
Nevada	2	2	-	1	-	-
PACIFIC	593	809	27	17	10	597
Washington	3	96	3	8	-	51
Oregon	40	83*	2	2	-	55
California	549	630	20	2	10	486
Alaska	-	-	1	5	-	4
Hawaii	1	-	1	-	-	1
Puerto Rico	4	97	-	58	-	-

* Includes Meningitis, other.
NN: Not Notifiable.

TABLE 5. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1961 - Continued

AREA	HEPATITIS (Infectious and Serum)	MEASLES	MENINGOCOCCAL INFECTIONS	POLIOMYELITIS			
				Total	Paralytic	Nonparalytic	Unspecified
UNITED STATES	72,651	423,919	2,232	1,312	988	305	19
NEW ENGLAND	2,491	42,993	145	55	44	10	1
Maine	215	2,912	29	7	7	-	-
New Hampshire	292	1,654	8	8	6	1	1
Vermont	196	1,194	7	13	12	1	-
Massachusetts	1,055	22,635	61	21	15	6	-
Rhode Island	250	7,118	5	1	1	-	-
Connecticut	483	7,480	35	5	3	2	-
MIDDLE ATLANTIC	9,461	83,953	361	334	260	74	-
New York	4,200	37,240	159	254	195	59	-
New Jersey	2,188	19,481	66	27	24	3	-
Pennsylvania	3,073	27,232	136	53	41	12	-
EAST NORTH CENTRAL	14,821	112,153	543	159	126	33	-
Ohio	4,981	21,451	96	43	34	9	-
Indiana	2,163	6,240	42	21	15	6	-
Illinois	2,667	16,931	122	26	18	8	-
Michigan	4,607	29,391	253	40	33	7	-
Wisconsin	403	38,140	30	29	26	3	-
WEST NORTH CENTRAL	7,089	14,828	116	69	43	25	1
Minnesota	1,802	728	27	8	7	1	-
Iowa	1,988	5,531	10	18	10	8	-
Missouri	1,503	4,800	29	27	18	9	-
North Dakota	183	2,955	12	4	1	3	-
South Dakota	193	153	7	4	2	1	1
Nebraska	656	661	12	6	3	3	-
Kansas	764	NN	19	2	2	-	-
SOUTH ATLANTIC	9,285	42,866	353	218	177	33	8
Delaware	185	1,696	54	2	1	1	-
Maryland	834	4,247	36	45	35	10	-
District of Columbia	153	386	14	3	3	-	-
Virginia	1,558	12,388	44	14	14	-	-
West Virginia	1,619	8,093	29	34	26	1	7
North Carolina	2,206	5,095	68	19	9	10	-
South Carolina	517	3,386	13	34	28	5	1
Georgia	771	496	23	26	24	2	-
Florida	1,442	7,079	72	41	37	4	-
EAST SOUTH CENTRAL	10,751	31,312	163	112	84	28	-
Kentucky	3,188	11,293	49	28	21	7	-
Tennessee	4,198	15,507	53	26	10	16	-
Alabama	1,843	2,875	40	13	13	-	-
Mississippi	1,522	1,637	21	45	40	5	-
WEST SOUTH CENTRAL	5,075	19,119	170	160	96	64	-
Arkansas	1,007	1,769	14	23	12	11	-
Louisiana	568	48	66	52	44	8	-
Oklahoma	346	605	17	5	3	2	-
Texas	3,154	16,697	73	80	37	43	-
MOUNTAIN	4,086	20,954	74	52	38	5	9
Montana	351	2,484	-	3	1	-	2
Idaho	331	2,051	5	16	13	3	-
Wyoming	162	493	10	1	1	-	-
Colorado	1,417	4,046	24	11	11	-	-
New Mexico	326	914	4	5	2	-	3
Arizona	706	8,570	15	7	6	1	-
Utah	652	1,711	2	8	4	-	4
Nevada	141	685	14	1	-	1	-
PACIFIC	9,592	55,741	307	153	120	33	-
Washington	1,234	9,271	36	35	30	5	-
Oregon	1,453	5,939	28	18	9	9	-
California	6,412	39,201	236	94	75	19	-
Alaska	426	1,111	-	-	-	-	-
Hawaii	67	219	7	6	6	-	-
Puerto Rico	1,059	1,937	17	7	7	-	-

NN: Not Notifiable

TABLE 5. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1961 - Continued

AREA	PERTUSSIS (whooping cough)	RHEUMATIC FEVER, ACUTE	SALMONELLOSIS (excluding S. typhosa)	SCARLET FEVER & STREPTOCOCCAL SORE THROAT	SHIGELLOSIS (Bacillary dysentery)	TETANUS
UNITED STATES	11,468	10,470	8,542	338,410	12,571	379
NEW ENGLAND	942	123	629	18,684	163	9
Maine	220	12	22	701	23	2
New Hampshire	30	5*	9	780	-	1
Vermont	71	-	14	655	-	-
Massachusetts	251	21*	465	6,030	108	2
Rhode Island	73	44	20	1,526	-	-
Connecticut	297	41*	99	8,992	32	4
MIDDLE ATLANTIC	2,099	162	1,145	26,357	634	27
New York	1,053	-	629	16,555	339	15
New Jersey	337	122*	70	4,964	34	1
Pennsylvania	709	40*	446	4,838	261	11
EAST NORTH CENTRAL	1,841	6,286	1,049	33,847	1,471	59
Ohio	124	2,159	298	7,721	606	22
Indiana	100	95	50	5,743	38	9
Illinois	677	1,936	274	5,645	266	12
Michigan	639	1,975	296	8,347	370	9
Wisconsin	301	121	131	6,391	191	7
WEST NORTH CENTRAL	180	374	467	10,930	653	26
Minnesota	28	106	207	1,298	211	8
Iowa	104	29	53	2,184	41	5
Missouri	12	104	55	804	64	7
North Dakota	12	91	36	3,835	38	1
South Dakota	15	-	20	64	57	3
Nebraska	9	40*	13	65	103	-
Kansas	-	4	83	2,680	139	2
SOUTH ATLANTIC	874	624	1,461	23,334	1,509	94
Delaware	13	7	23	216	29	-
Maryland	119	-	41	1,145	56	4
District of Columbia	14	4	65	111	139	2
Virginia	86	-	164	6,231	181	6
West Virginia	271	32	12	7,329	2	1
North Carolina	118	144*	217	1,328	138	12
South Carolina	29	155	5	1,059	8	1
Georgia	12	14	321	204	502	33
Florida	212	268	613	5,711	454	35
EAST SOUTH CENTRAL	570	854	485	58,589	456	54
Kentucky	104	319	315	8,276	18	8
Tennessee	362	277	89	47,226	219	10
Alabama	64	241	55	773	162	15
Mississippi	40	17	26	2,314	57	21
WEST SOUTH CENTRAL	1,417	134	847	42,165	4,251	72
Arkansas	33	16	72	270	141	12
Louisiana	3	25	236	230	125	12
Oklahoma	16	14	40	947	70	5
Texas	1,365	79	499	40,718	3,915	43
MOUNTAIN	896	1,384	507	65,934	568	4
Montana	92	164	6	2,934	21	-
Idaho	41	324	1	5,269	21	-
Wyoming	20	358	1	2,028	-	1
Colorado	146	208	109	21,881	223	-
New Mexico	17	90	36	16,471	91	-
Arizona	487	196	206	9,322	153	2
Utah	81	39	144	7,595	46	1
Nevada	12	5	4	434	13	-
PACIFIC	2,649	529	1,952	58,570	2,866	34
Washington	344	321	228	16,665	96	2
Oregon	369	62	143	2,256	44	4
California	1,926	117	1,416	37,125	2,268	28
Alaska	9	24	2	1,865	73	-
Hawaii	1	5	163	659	385	-
Puerto Rico	294	-	-	232	19	124

* Primary diagnosis acute rheumatic fever, Crippled Children's Program, Children's Bureau, PHS.

TABLE 5. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1961 - Continued

AREA	TRICHINOSIS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER	
				Flea-borne (murine)	Tick-borne (Rocky Mountain spotted fever)
UNITED STATES	306	365	814	46	219
NEW ENGLAND	45	-	24	1	2
Maine	-	-	1	-	-
New Hampshire	3	-	-	-	1
Vermont	-	-	-	-	-
Massachusetts	6	-	15	-	1
Rhode Island	3	-	5	1	-
Connecticut	33	-	3	-	-
MIDDLE ATLANTIC	118	6	95	-	15
New York	54	3	51	-	7
New Jersey	17	-	16	-	2
Pennsylvania	47	3	28	-	6
EAST NORTH CENTRAL	42	58	113	-	14
Ohio	18	2	49	-	4
Indiana	6	15	27	-	6
Illinois	9	39	28	-	4
Michigan	8	-	7	-	-
Wisconsin	1	2	2	-	-
WEST NORTH CENTRAL	19	46	43	1	6
Minnesota	1	1	5	-	2
Iowa	18	-	5	-	-
Missouri	-	27	24	1	1
North Dakota	-	-	-	-	-
South Dakota	-	1	3	-	-
Nebraska	-	2	3	-	1
Kansas	-	15	3	-	2
SOUTH ATLANTIC	5	50	137	11	113
Delaware	1	-	1	-	1
Maryland	1	1	5	-	13
District of Columbia	-	-	13	-	1
Virginia	1	23	21	-	49
West Virginia	-	-	11	-	7
North Carolina	1	10	23	3	34
South Carolina	-	-	8	-	2
Georgia	1	15	34	8	6
Florida	-	1	21	-	-
EAST SOUTH CENTRAL	4	56	89	3	28
Kentucky	-	2	19	-	3
Tennessee	4	38	47	-	20
Alabama	-	3	13	3	5
Mississippi	-	13	10	-	-
WEST SOUTH CENTRAL	12	93	157	23	17
Arkansas	-	60	32	2	5
Louisiana	11	10	26	-	-
Oklahoma	-	10	15	-	8
Texas	1	13	84	21	4
MOUNTAIN	3	45	63	-	21
Montana	-	6	18	-	2
Idaho	-	-	3	-	3
Wyoming	-	18	3	-	5
Colorado	1	3	8	-	8
New Mexico	-	-	17	-	2
Arizona	2	1	11	-	-
Utah	-	17	-	-	1
Nevada	-	-	3	-	-
PACIFIC	58	11	93	7	3
Washington	-	-	7	-	-
Oregon	26	7	2	-	3
California	11	4	81	5	-
Alaska	20	-	-	-	-
Hawaii	1	-	3	2	-
Puerto Rico	-	-	23	1	-

TABLE 6. REPORTED CASES OF NOTIFIABLE DISEASES OF LOW FREQUENCY: UNITED STATES, BY STATE, 1961

STATES WITH REPORTED CASES	ANTHRAX	BOTULISM	LEPROSY	LEPTOSPIROSIS	MALARIA	PSITTACOSIS-ORNITHOSIS
UNITED STATES	14	14	63	71	73	102
NEW ENGLAND						
Maine	-	-	-	2	1	-
Massachusetts	1	-	1	1	9	3
Connecticut	-	-	-	1	1	2
MIDDLE ATLANTIC						
New York	1	-	8	4	5	6
New Jersey	-	-	-	-	1	1
Pennsylvania	5	-	-	1	4	6
EAST NORTH CENTRAL						
Ohio	3	-	1	2	-	-
Illinois	-	-	-	-	1	7
Michigan	-	-	-	-	1	2
Wisconsin	-	-	-	-	-	18
WEST NORTH CENTRAL						
Minnesota	-	-	-	1	-	2
Iowa	-	-	-	22	-	-
South Dakota	-	-	-	-	1	1
Nebraska	-	-	-	2	-	-
Kansas	-	-	-	2	1	-
SOUTH ATLANTIC						
Delaware	-	-	-	-	-	1
Maryland	-	-	-	-	3	-
District of Columbia	-	-	-	-	1	-
Virginia	-	-	-	4	1	1
West Virginia	-	-	-	1	1	1
North Carolina	1	-	-	1	5	1
South Carolina	1	-	-	1	1	-
Georgia	-	-	-	-	-	2
Florida	-	1	1	-	6	-
EAST SOUTH CENTRAL						
Kentucky	-	-	-	-	3	-
Tennessee	-	-	-	6	-	6
Alabama	-	-	2	-	-	-
Mississippi	2	-	-	4	-	-
WEST SOUTH CENTRAL						
Arkansas	-	1	-	-	-	-
Louisiana	-	1	4	5	-	-
Texas	-	-	14	3	1	23
MOUNTAIN						
Idaho	-	3	-	-	-	1
Wyoming	-	-	-	-	-	1
New Mexico	-	-	-	-	2	-
Arizona	-	-	1	-	3	-
Utah	-	-	-	-	-	3
PACIFIC						
Washington	-	8	-	-	3	2
Oregon	-	-	-	-	2	2
California	-	-	19	4	14	10
Hawaii	-	-	12	4	2	-
Puerto Rico	-	-	1	7	-	-

TABLE 7. INCIDENCE OF NOTIFIABLE DISEASES REPORTED BY TERRITORY OF GUAM, 1961

Dengue	1
Hepatitis, infectious & serum	63
Leprosy	1
Malaria	5
Measles	544
Rheumatic fever, acute	7
Salmonellosis	5
Streptococcal Sore Throat and Scarlet Fever	478

TABLE 8. NEWLY REPORTED ACTIVE TUBERCULOSIS CASES: UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, BY AGE, 1961

AREA	Total	Under 5	5-14	15-24	25-44	45-64	65 and Over	Age Not Stated
UNITED STATES	53,727	2,345	2,399	4,554	16,053	17,525	10,129	722
NEW ENGLAND	2,093	42	32	171	621	774	437	16
Maine	159	5	3	8	46	59	37	1
New Hampshire	86	1	3	5	22	31	19	5
Vermont	83	2	5	4	11	36	25	-
Massachusetts	1,275	31	18	112	385	472	257	-
Rhode Island	165	-	2	14	50	59	32	8
Connecticut	325	3	1	28	107	117	67	2
MIDDLE ATLANTIC	11,572	508	420	956	3,544	3,894	2,057	193
New York	6,182	269	234	598	2,004	1,967	1,015	95
New Jersey	1,658	93	60	125	574	546	249	11
Pennsylvania	3,732	146	126	233	966	1,381	793	87
EAST NORTH CENTRAL	11,079	482	577	883	3,314	3,498	2,144	181
Ohio	2,503	181	175	185	718	729	500	15
Indiana	1,152	9	24	90	310	377	290	52
Illinois	4,021	49	70	331	1,384	1,401	714	72
Michigan	2,690	243	256	223	748	763	433	24
Wisconsin	713	-	52	54	154	228	207	18
WEST NORTH CENTRAL	2,342	56	61	161	625	833	579	27
Minnesota	474	13	14	31	112	187	116	1
Iowa	165	2	3	9	45	64	41	1
Missouri	1,092	7	12	60	294	388	319	12
North Dakota	88	9	9	14	23	21	10	2
South Dakota	123	10	13	28	26	27	19	-
Nebraska	160	5	8	6	54	60	23	4
Kansas	240	10	2	13	71	86	51	7
SOUTH ATLANTIC	8,925	493	484	739	2,791	2,827	1,447	144
Delaware	158	-	3	14	56	54	31	-
Maryland	1,374	90	67	106	419	463	219	10
District of Columbia	513	3	5	41	201	187	72	4
Virginia	1,833	180	217	121	432	475	328	80
West Virginia	688	40	33	43	180	250	135	7
North Carolina	1,040	17	14	85	360	370	193	1
South Carolina	692	15	16	78	261	206	113	3
Georgia	1,268	85	84	137	415	368	162	17
Florida	1,359	63	45	114	467	454	194	22
EAST SOUTH CENTRAL	4,607	260	222	417	1,249	1,407	1,021	31
Kentucky	1,257	21	35	124	387	398	292	-
Tennessee	1,425	100	108	108	343	406	360	-
Alabama	1,313	129	69	121	346	377	250	21
Mississippi	612	10	10	64	173	226	119	10
WEST SOUTH CENTRAL	4,854	262	260	470	1,402	1,501	880	79
Arkansas	905	76	104	71	181	249	207	17
Louisiana	1,055	76	41	78	295	363	175	27
Oklahoma	465	7	3	40	117	167	131	-
Texas	2,429	103	112	281	809	722	367	35
MOUNTAIN	1,702	108	150	142	449	528	290	35
Montana	103	6	4	9	31	30	18	5
Idaho	82	3	1	7	27	26	17	1
Wyoming	40	3	3	1	10	13	6	4
Colorado	306	1	4	27	110	93	62	9
New Mexico	329	40	73	34	50	77	48	7
Arizona	694	49	60	55	174	240	116	-
Utah	66	5	4	6	17	17	11	6
Nevada	82*	1	1	3	30	32	12	3
PACIFIC	6,553	134	193	615	2,058	2,263	1,274	16
Washington	653	10	8	48	181	264	132	10
Oregon	425	19	19	34	108	162	81	2
California	4,916	87	113	456	1,571	1,702	986	1
Alaska	255	8	37	54	95	41	18	2
Hawaii	304	10	16	23	103	94	57	1
Puerto Rico	1,812	216	225	279	455	400	215	22

* Provisional

TABLE 9. NEWLY REPORTED CASES OF VENEREAL DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE; AGE AND SEX (Civilian Cases Only), 1961

AREA	SYPHILIS TOTAL	SYPHILIS PRIMARY SECONDARY	GONORRHEA	CHANCROID	OTHER*
UNITED STATES	124,658	19,851	264,158	1,438	1,028
NEW ENGLAND	4,026	578	4,778	14	12
Maine	60	7	164	-	-
New Hampshire	92	12	72	-	-
Vermont	16	6	107	-	-
Massachusetts	2,872	398	2,468	9	6
Rhode Island	305	26	158	1	-
Connecticut	681	129	1,809	4	6
MIDDLE ATLANTIC	39,358	5,678	34,341	137	103
New York	22,529	3,966	23,277	107	67
New Jersey	5,169	861	4,306	14	24
Pennsylvania	11,660	851	6,758	16	12
EAST NORTH CENTRAL	17,535	1,788	49,954	154	48
Ohio	3,552	249	9,750	23	23
Indiana	1,301	93	3,005	4	3
Illinois	8,659	1,068	26,435	24	15
Michigan	3,309	313	9,505	102	6
Wisconsin	714	65	1,259	1	1
WEST NORTH CENTRAL	7,277	395	16,491	66	6
Minnesota	317	118	1,875	4	1
Iowa	1,041	18	1,384	2	-
Missouri	3,954	178	8,094	49	-
North Dakota	34	6	718	-	-
South Dakota	129	10	969	1	1
Nebraska	594	13	874	3	-
Kansas	1,208	52	2,577	7	4
SOUTH ATLANTIC	24,317	4,954	60,150	544	674
Delaware	852	33	731	5	9
Maryland	2,574	532	6,382	11	19
District of Columbia	2,014	620	8,624	13	416
Virginia	3,627	381	6,748	14	26
West Virginia	1,298	51	1,034	7	1
North Carolina	2,557	551	7,668	59	23
South Carolina	2,327	619	8,719	26	6
Georgia	3,744	1,049	10,017	271	92
Florida	5,324	1,118	10,227	138	82
EAST SOUTH CENTRAL	6,594	1,241	22,599	123	39
Kentucky	1,898	186	3,438	2	2
Tennessee	2,666	426	9,585	30	10
Alabama	1,413	485	3,715	31	18
Mississippi	617	144	5,861	60	9
WEST SOUTH CENTRAL	13,860	3,302	42,017	283	123
Arkansas	1,590	285	7,980	8	4
Louisiana	5,696	1,422	5,936	40	72
Oklahoma	1,542	95	4,984	2	1
Texas	5,032	1,500	23,117	233	46
MOUNTAIN	2,777	241	7,708	25	5
Montana	242	3	439	2	-
Idaho	34	9	531	2	-
Wyoming	22	2	85	1	-
Colorado	336	28	1,891	-	-
New Mexico	899	53	1,408	4	3
Arizona	930	125	2,666	12	1
Utah	185	6	307	1	-
Nevada	129	15	381	3	1
PACIFIC	8,914	1,674	26,120	92	18
Washington	386	87	2,180	3	1
Oregon	517	37	1,188	3	-
California	7,926	1,542	21,949	85	16
Alaska	28	4	629	-	-
Hawaii	57	4	174	1	1
Puerto Rico	1,180	379	2,719	12	2

*Granuloma inguinale and Lymphogranuloma venereum

AGE DISTRIBUTION		
Age Group	Syphilis, Primary & Secondary	Gonorrhea
0-9	35	1,615
10-14	210	2,567
15-19	3,215	52,131
20-24	5,575	90,686
25-29	4,092	53,539
30-34	2,819	30,046
35-39	1,705	16,726
40-44	988	8,412
45-49	568	4,051
50+	644	4,385
Total	19,851	264,158

DISTRIBUTION by SEX by RACE		
Syphilis Cases, Total		
	White	Nonwhite
Male	32,201	37,586
Female	21,408	33,463
Total	53,609	71,049
Syphilis, Primary & Secondary		
Male	5,271	8,009
Female	1,257	5,314
Total	6,528	13,323
Gonorrhea		
Male	49,844	140,535
Female	19,342	54,437
Total	69,186	194,972

Figures are from the Venereal Disease Program, CDC, Public Health Service

TABLE 10. RABIES IN MAN AND ANIMALS
FROM REPORTS TO THE NATIONAL RABIES SURVEILLANCE PROGRAM, CDC-PHS

Human Rabies Cases in the United States, 1961

Locality	Age	Sex	Biting Animal	Incubation Period	Duration of Illness	Date of Death
Kentucky	53	F	Fox	52 days	7 days	Jan. 6, 1961
California	76	M	Dog	31 days	13 days	Jan. 20, 1961
Kentucky	74	M	Fox	39 days	5 days	June 27, 1961

State		Rabies in Animals by Type of Animal Reported Through Surveillance Program									State Report, Notifiable Diseases
		Dogs	Cattle	Other Domestic	Fox	Skunk	Bat	Other Wild	Lab. Conf.	Clin. Diag.	Total Cases
UNITED STATES		622	505	272	682	1,253	186	103	3,437	186	3,599
N.E.	Mass.	-	-	-	-	-	1	-	1	-	1
M.A.	N.Y.	4	22	13	25	11	14	3	92	-	92
	N.J.	-	-	-	-	-	7	-	7	-	8
	Pa.	2	-	1	-	2	8	1	14	-	14
E.N.C.	Ohio	8	11	7	18	28	4	1	77	-	79
	Ind.	66	12	8	21	2	-	-	109	-	109
	Ill.	13	39	14	11	97	1	3	163	15	163
	Mich.	12	6	6	-	54	2	-	80	-	80
	Wisc.	4	5	6	1	7	2	1	25	1	26
W.N.C.	Minn.	9	23	12	1	102	3	2	144	8	152
	Iowa	10	71	38	4	222	2	2	349	-	349
	Mo.	57	23	24	30	75	6	4	219	-	219
	N.D.	2	8	9	-	16	-	2	37	-	37
	S.D.	5	23	8	-	68	1	-	105	-	124
	Nebr.	4	10	6	-	22	-	4	46	-	46
	Kans.	-	-	1	-	6	-	-	7	-	7
S.A.	Md.	2	-	-	-	-	3	-	5	-	5
	Va.	8	26	7	145	1	-	3	190	-	191
	W.Va.	26	10	11	67	1	-	-	115	-	115
	N.C.	4	1	-	9	-	-	-	14	-	13
	S.C.	5	-	-	-	-	-	-	-	5	-
	Ga.	2	1	2	-	1	2	-	8	-	8
	Fla.	5	-	8	1	2	7	45[1]	68	-	68
E.S.C.	Ky.	69	20	6	25	3	2	1	126	-	124
	Tenn.	23	41	11	100	9	2	-	186	-	186
	Ala.	39	3	3	16	-	2	1	64	-	65
	Miss.	1	-	-	-	-	-	-	1	-	1
W.S.C.	Ark.	41	81	13	107	1	1	2	92	154	246
	La.	15	2	1	47	-	-	-	65	-	65
	Okla.	1	6	2	9	-	1	1	20	-	20
	Tex.	134	47	49	30	342	45	11	658	-	658
Mt.	Colo.	1	-	1	-	1	3	5	11	-	9
	N.M.	17	1	2	-	4	1	-	23	2	25
	Ariz.	9	-	-	7	2	6	1	25	-	25
	Utah	1	-	-	-	-	7	-	8	-	-
PAC.	Wash.	-	-	-	-	-	5	-	5	-	-
	Ore.	-	-	-	2	-	14	-	16	-	16
	Cal.	20	13	3	3	174	34	6	253	-	253
	Alaska	3	-	-	3	-	-	4	9	1	-
Puerto Rico		1	5	4	-	-	-	19[2]	29	-	29

[1]44 Racoon; [2]19 Mongooses

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1961

(A) DIPHTHERIA

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
UNITED STATES	13	183	169	101	...58...		...61...		19	13	617
NEW ENGLAND	-	-	-	1	-	2	1	1	2	-	7
Maine	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	-	-	1	-	2	1	1	1	-	6
Rhode Island	-	-	-	-	-	-	-	-	-	-	-
Connecticut	-	-	-	-	-	-	-	-	1	-	1
MIDDLE ATLANTIC	-	1	8	3	1	1	...5...		-	-	19
New York	-	-	2	1	-	1	....2...		-	-	6
New Jersey	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania	-	1	6	2	1	-	2	1	-	-	13
EAST NORTH CENTRAL	-	4	5	3	3	-	2	-	-	-	17
Ohio	-	-	-	-	-	-	1	-	-	-	1
Indiana	-	-	-	-	3	-	-	-	-	-	3
Illinois	-	3	4	3	-	-	-	-	-	-	10
Michigan	-	1	1	-	-	-	1	-	-	-	3
Wisconsin	-	-	-	-	-	-	-	-	-	-	-
WEST NORTH CENTRAL	-	13	13	9	4	4	4	11	11	-	69
Minnesota	-	9	10	7	2	1	4	7	5	-	45
Iowa	-	-	1	-	1	-	-	-	-	-	2
Missouri	-	-	1	-	1	-	-	-	-	-	2
North Dakota	-	1	1	-	-	-	-	2	-	-	4
South Dakota	-	3	-	1	-	-	-	-	1	-	5
Nebraska	-	-	-	1	-	3	-	2	5	-	11
Kansas	-	-	-	-	-	-	-	-	-	-	-
SOUTH ATLANTIC	1	65	38	24	...13...		7	1	-	3	152
Delaware	-	-	-	-	-	-	-	-	-	-	-
Maryland	-	1	-	-	-	-	-	-	-	-	1
District of Columbia	-	-	4	-	-	1	-	-	-	-	5
Virginia	-	8	2	1	-	-	2	-	-	-	13
West Virginia	-	-	-	-	-	-	-	-	-	-	-
North Carolina	1	5	2	2	1	-	1	-	-	-	12
South Carolina	-	3	4	4	-	-	1	-	-	2	14
Georgia	-	30	14	12	6	1	-	1	-	-	64
Florida	-	18	12	5	...4...		3	-	-	1	43
EAST SOUTH CENTRAL	-	19	10	13	3	2	2	-	1	2	52
Kentucky	-	2	1	4	-	-	1	-	-	1	9
Tennessee	-	2	-	-	-	-	-	-	-	-	2
Alabama	-	11	4	7	3	1	-	-	-	1	27
Mississippi	-	4	5	2	-	1	1	-	1	-	14
WEST SOUTH CENTRAL	12	76	92	43	10	10	14	7	5	2	271
Arkansas	-	3	-	-	-	1	-	-	-	-	4
Louisiana	-	17	17	5	2	2	3	-	-	-	46
Oklahoma	1	2	4	1	-	-	1	-	-	-	9
Texas	11	54	71	37	8	7	10	7	5	2	212
MOUNTAIN	-	4	1	1	1	2	1	1	-	2	13
Montana	-	-	1	-	-	1	-	-	-	1	3
Idaho	-	-	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-
Colorado	-	3	-	-	-	-	1	-	-	-	4
New Mexico	-	1	-	1	1	1	-	1	-	-	5
Arizona	-	-	-	-	-	-	-	-	-	-	-
Utah	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	1	1
PACIFIC	-	1	2	4	1	1	4	-	-	4	17
Washington	-	-	1	3	1	-	-	-	-	3	8
Oregon	-	-	-	-	-	1	1	-	-	-	2
California	-	1	-	-	-	-	1	-	-	-	2
Alaska	-	-	1	1	-	-	2	-	-	1	5
Hawaii	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico	3	28	15	2	2	3	2	2	1	-	58

TABLE II. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1961 - Continued

(B) ENCEPHALITIS, TOTAL, ACUTE INFECTIOUS

AREA	Under 1	1 - 4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2,248
NEW ENGLAND	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	91
Maine	1	2	3	-	-	-	2	1	-	-	9
New Hampshire	age distribution not available										3
Vermont	-	1	-	-	-	-	-	-	-	-	1
Massachusetts	2	8	13	7	-	-	1	-	3	-	34
Rhode Island	1	7	8	1	-	-	1	1	-	1	20
Connecticut	1	2	1	1	2	2	-	-	2	13	24
MIDDLE ATLANTIC	51	89	99	58	35	29	...75...		38	2	476
New York	39	42	36	33	25	25	...52...		28	2	282
New Jersey	6	19	34	12	7	3	7	6	6	-	100
Pennsylvania	6	28	29	13	3	1	4	6	4	-	94
EAST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	359
Ohio	5	13	19	10	5	-	1	1	1	1	56
Indiana	5	12	21	6	7	6	5	6	11	3	82
Illinois	13	36	65	17	7	6	6	2	9	3	164
Michigan	age distribution not available										51
Wisconsin	1	-	-	2	-	-	-	-	1	2	6
WEST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	155
Minnesota	age distribution not available										80
Iowa	age distribution not available										7
Missouri	-	4	2	1	3	1	-	3	1	-	15
North Dakota	-	2	-	1	1	1	-	-	1	-	6
South Dakota	-	1	1	-	-	-	-	-	1	-	3
Nebraska	1	1	-	1	-	1	2	1	2	5	14
Kansas	3	3	3	4	2	1	3	5	6	-	30
SOUTH ATLANTIC	13	40	56	24	...11...		21	14	39	7	225
Delaware	-	-	-	-	1	1	1	-	-	-	3
Maryland	1	6	10	7	2	-	7	1	1	1	36
District of Columbia	-	2	1	1	-	-	1	-	-	-	5
Virginia	2	3	3	3	1	-	1	3	8	1	25
West Virginia	-	-	4	1	-	-	-	-	-	-	5
North Carolina	1	6	10	-	1	1	4	2	2	1	28
South Carolina	-	4	2	2	-	-	-	1	-	-	9
Georgia	3	4	4	2	-	-	2	-	2	-	17
Florida	6	15	22	8	...4...		5	7	26	4	97
EAST SOUTH CENTRAL	...17...		20	15	8	9	7	4	5	2	87
Kentucky	1	-	3	-	-	1	1	-	-	2	8
Tennessee	5	1	4	3	-	-	1	-	4	-	18
Alabama	... 2 ...		3	-	-	-	-	-	1	-	6
Mississippi	1	7	10	12	8	8	5	4	-	-	55
WEST SOUTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	142
Arkansas	2	5	8	4	2	3	1	-	2	-	27
Louisiana	Encephalitis not specified as arthropod-borne not notifiable										
Oklahoma	2	2	3	-	1	1	4	4	3	2	22
Texas	4	14	27	4	6	4	8	7	11	8	93
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	106
Montana	-	1	-	1	-	-	2	-	-	2	6
Idaho	-	1	-	-	-	-	2	-	-	-	3
Wyoming	1	-	1	-	1	-	-	-	-	-	3
Colorado	age distribution not available										54
New Mexico	-	-	-	2	-	1	2	1	2	4	12
Arizona	3	1	1	1	1	1	1	-	2	2	13
Utah	-	-	1	1	2	-	4	2	2	3	15
Nevada	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	26	100	191	75	28	15	55	20	24	73	607
Washington	5	4	3	4	-	1	2	-	2	30	51
Oregon	-	-	-	1	3	1	5	1	1	43	55
California	21	94	185	70	25	13	48	19	21	-	496
Alaska	-	1	3	-	-	-	-	-	-	-	4
Hawaii	-	1	-	-	-	-	-	-	-	-	1
Puerto Rico	-	-	-	-	-	-	-	-	-	-	-

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE. BY AGE, 1961 - Continued

(C) HEPATITIS
(infectious and serum)

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	72,651
NEW ENGLAND	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2,491
Maine	-	10	48	27	27	26	30	23	22	2	215
New Hampshire	age distribution not available										292
Vermont	-	5	19	41	21	19	29	10	20	32	196
Massachusetts	-	41	215	206	120	123	169	98	83	-	1,055
Rhode Island	-	9	38	52	32	29	38	22	22	8	250
Connecticut	-	7	53	81	56	47	87	65	66	21	483
MIDDLE ATLANTIC	16	226	1,396	1,330	1,042	1,000	1,785	1,204	1,088	374	9,461
New York	9	97	533	462	466	484	781	492	502	374	4,200
New Jersey	3	36	203	255	211	254	493	404	329	-	2,188
Pennsylvania	4	93	660	613	365	262	511	308	257	-	3,073
EAST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	14,821
Ohio	10	214	1,361	1,054	437	315	539	313	223	515	4,981
Indiana	5	72	631	505	218	158	278	129	132	35	2,163
Illinois	8	122	629	532	246	216	390	219	209	96	2,667
Michigan	2	98	539	413	199	240	441	234	162	2,279	4,607
Wisconsin	age distribution not available										403
WEST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	7,089
Minnesota	6	73	456	248	144	110	277	133	143	212	1,802
Iowa	age distribution not available										1,988
Missouri	2	53	437	330	160	95	181	86	90	69	1,503
North Dakota	3	15	45	35	15	10	30	7	19	4	183
South Dakota	1	8	28	28	23	12	29	14	16	34	193
Nebraska	-	11	77	62	24	35	47	30	35	335	656
Kansas	2	35	178	165	80	63	104	53	56	28	764
SOUTH ATLANTIC	31	416	2,486	2,088	1,747		920	501	518	578	9,285
Delaware	3	5	37	33	25	15	27	23	17	-	185
Maryland	2	40	234	186	89	60	97	61	50	15	834
District of Columbia	-	10	45	30	10	17	21	15	5	-	153
Virginia	8	56	337	306	158	140	189	109	106	149	1,558
West Virginia	3	81	513	414	138	76	116	81	93	104	1,619
North Carolina	7	95	661	620	316	165	183	67	73	19	2,206
South Carolina	-	16	125	97	55	25	24	19	10	146	517
Georgia	3	32	222	184	83	60	74	24	32	57	771
Florida	5	81	312	218	315		189	102	132	88	1,442
EAST SOUTH CENTRAL	478		3,146	2,720	1,207	658	887	377	461	817	10,751
Kentucky	5	102	903	758	300	148	194	70	89	619	3,188
Tennessee	6	198	1,394	1,173	458	262	364	162	171	10	4,198
Alabama	98		509	469	209	121	146	72	104	115	1,843
Mississippi	3	66	340	320	240	127	183	73	97	73	1,522
WEST SOUTH CENTRAL	16	323	1,278	946	509	420	642	302	290	349	5,075
Arkansas	1	42	316	248	125	77	102	51	45	-	1,007
Louisiana	2	37	137	120	64	43	75	33	36	21	568
Oklahoma	1	18	103	72	38	24	28	13	18	31	346
Texas	12	226	722	506	282	276	437	205	191	297	3,154
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	4,086
Montana	2	40	74	57	21	22	36	20	11	68	351
Idaho	-	17	47	54	32	32	54	30	23	42	331
Wyoming	-	3	28	25	19	18	23	11	17	18	162
Colorado	age distribution not available										1,417
New Mexico	-	15	73	61	31	24	45	17	25	35	326
Arizona	-	-	13	3	4	4	5	3	1	673	706
Utah	-	25	147	156	63	48	84	28	23	78	652
Nevada	age distribution not available										141
PACIFIC	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	9,592
Washington	5	41	151	162	105	97	203	89	113	268	1,234
Oregon	1	52	243	282	146	138	239	137	143	72	1,453
California	18	309	1,010	840	639	804	1,194	664	634	300	6,412
Alaska	age distribution not available										426
Hawaii	-	-	5	-	13	12	18	11	8	-	67
Puerto Rico	1	109	417	219	113	66	49	37	41	7	1,059

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1961 - Continued

(D) MENINGOCOCCAL INFECTIONS

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2,232
NEW ENGLAND	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	145
Maine	8	15	2	1	1	-	-	1	1	-	29
New Hampshire	age distribution not available										8
Vermont	2	2	-	-	-	1	-	-	2	-	7
Massachusetts	18	23	6	1	1	3	-	2	7	-	61
Rhode Island	2	1	-	1	-	-	-	-	-	1	5
Connecticut	6	16	3	4	1	1	1	1	-	2	35
MIDDLE ATLANTIC	77	115	57	23	23	15	...19...		32	-	361
New York	29	48	26	13	11	4	...11...		17	-	159
New Jersey	9	24	9	1	6	8	1	3	5	-	66
Pennsylvania	39	43	22	9	6	3	2	2	10	-	136
EAST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	543
Ohio	28	35	9	6	6	2	3	-	7	-	96
Indiana	13	16	4	2	1	-	-	-	3	3	42
Illinois	23	49	15	12	11	2	1	1	5	3	122
Michigan	age distribution not available										253
Wisconsin	age distribution not available										30
WEST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	116
Minnesota	7	10	2	-	4	-	1	3	-	-	27
Iowa	age distribution not available										10
Missouri	7	11	4	-	6	-	-	-	1	-	29
North Dakota	6	4	-	1	1	-	-	-	-	-	12
South Dakota	1	2	-	1	-	-	-	1	2	-	7
Nebraska	-	4	-	-	-	-	-	-	1	7	12
Kansas	2	6	6	1	2	-	1	-	1	-	19
SOUTH ATLANTIC	97	109	42	27	...18...		12	8	33	7	353
Delaware	18	8	9	5	1	-	6	2	5	-	54
Maryland	10	11	4	-	-	-	2	4	5	-	36
District of Columbia	6	4	1	1	1	-	-	-	1	-	14
Virginia	18	15	3	1	2	-	-	-	5	-	44
West Virginia	10	11	4	2	1	-	1	-	-	-	29
North Carolina	12	22	11	9	5	2	2	1	4	-	68
South Carolina	-	4	2	-	-	1	1	-	-	5	13
Georgia	8	5	4	2	-	-	-	-	4	-	23
Florida	15	29	4	7	...5...		-	1	9	2	72
EAST SOUTH CENTRAL	...82...		20	21	11	3	3	1	7	15	163
Kentucky	3	12	6	6	3	2	1	-	3	13	49
Tennessee	12	21	5	5	3	1	1	1	4	-	53
Alabama	...24...		6	5	2	-	1	-	-	2	40
Mississippi	2	8	3	5	3	-	-	-	-	-	21
WEST SOUTH CENTRAL	32	60	18	13	9	6	6	5	14	7	170
Arkansas	3	4	3	-	1	-	-	1	2	-	14
Louisiana	9	24	10	5	6	2	-	2	7	1	66
Oklahoma	5	8	-	2	1	-	1	-	-	-	17
Texas	15	24	5	6	1	4	5	2	5	6	73
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	74
Montana	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	1	1	-	3	-	-	-	-	-	5
Wyoming	3	-	3	1	-	-	1	-	-	2	10
Colorado	age distribution not available										24
New Mexico	2	2	-	-	-	-	-	-	-	-	4
Arizona	2	6	-	2	-	-	1	-	1	3	15
Utah	-	-	-	1	-	-	-	-	1	-	2
Nevada	age distribution not available										14
PACIFIC	65	111	39	18	15	11	15	3	27	3	307
Washington	10	13	3	1	1	1	1	1	3	2	36
Oregon	2	13	6	2	1	-	-	-	4	-	28
California	50	84	30	15	13	9	12	2	20	1	236
Alaska	-	-	-	-	-	-	-	-	-	-	-
Hawaii	3	1	-	-	-	1	2	-	-	-	7
Puerto Rico	4	6	3	-	3	1	-	-	-	-	17

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1961 - Continued

(E) PARALYTIC POLIOMYELITIS

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
UNITED STATES	50	323	222	102	...108...		120	44	17	2	988
NEW ENGLAND	-	8	20	5	1	3	6	1	-	-	44
Maine	-	2	2	1	1	1	-	-	-	-	7
New Hampshire	-	2	2	1	-	1	-	-	-	-	6
Vermont	-	2	6	1	-	-	3	-	-	-	12
Massachusetts	-	1	9	1	-	1	3	-	-	-	15
Rhode Island	-	-	-	-	-	-	-	1	-	-	1
Connecticut	-	1	1	1	-	-	-	-	-	-	3
MIDDLE ATLANTIC	10	69	55	31	18	15	41	16	5	-	260
New York	10	54	38	23	11	12	31	12	4	-	195
New Jersey	-	7	4	2	4	1	4	1	1	-	24
Pennsylvania	-	8	13	6	3	2	6	3	-	-	41
EAST NORTH CENTRAL	7	35	27	12	10	9	18	5	3	-	126
Ohio	2	10	6	4	2	2	3	2	3	-	34
Indiana	1	4	4	1	-	1	4	-	-	-	15
Illinois	-	6	7	1	-	1	2	1	-	-	18
Michigan	3	10	4	4	3	3	6	-	-	-	33
Wisconsin	1	5	6	2	5	2	3	2	-	-	26
WEST NORTH CENTRAL	-	11	12	5	3	5	4	2	1	-	43
Minnesota	-	2	2	1	-	-	1	1	-	-	7
Iowa	-	3	2	1	1	3	-	-	-	-	10
Missouri	-	5	7	3	1	1	-	-	1	-	18
North Dakota	-	-	-	-	-	-	1	-	-	-	1
South Dakota	-	-	-	-	1	1	-	-	-	-	2
Nebraska	-	1	-	-	-	-	2	-	-	-	3
Kansas	-	-	1	-	-	-	-	1	-	-	2
SOUTH ATLANTIC	9	70	43	26	...10...		13	4	1	1	177
Delaware	-	1	-	-	-	-	-	-	-	-	1
Maryland	3	10	8	9	-	2	2	1	-	-	35
District of Columbia	-	2	-	1	-	-	-	-	-	-	3
Virginia	-	4	3	4	-	-	2	1	-	-	14
West Virginia	1	9	9	2	2	-	2	-	1	-	26
North Carolina	1	4	2	1	-	-	1	-	-	-	9
South Carolina	2	8	10	4	-	1	2	1	-	-	28
Georgia	1	15	4	-	-	2	1	1	-	-	24
Florida	1	17	7	5	...3...		3	-	-	1	37
EAST SOUTH CENTRAL	12	35	19	4	4	3	5	2	-	-	84
Kentucky	3	6	8	-	2	-	2	-	-	-	21
Tennessee	2	3	2	1	-	1	-	1	-	-	10
Alabama	2	6	3	2	-	-	-	-	-	-	13
Mississippi	5	20	6	1	2	2	3	1	-	-	40
WEST SOUTH CENTRAL	7	50	19	3	4	1	10	1	1	-	96
Arkansas	-	4	3	1	2	-	2	-	-	-	12
Louisiana	4	27	7	2	-	1	3	-	-	-	44
Oklahoma	-	1	1	-	-	-	1	-	-	-	3
Texas	3	18	8	-	2	-	4	1	1	-	37
MOUNTAIN	-	11	6	3	3	2	10	2	-	1	38
Montana	-	-	-	-	-	-	-	-	-	1	1
Idaho	-	2	2	-	1	-	7	1	-	-	13
Wyoming	-	-	1	-	-	-	-	-	-	-	1
Colorado	-	5	2	-	1	1	2	-	-	-	11
New Mexico	-	1	-	-	1	-	-	-	-	-	2
Arizona	-	2	-	2	-	-	1	1	-	-	6
Utah	-	1	1	1	-	1	-	-	-	-	4
Nevada	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	5	34	21	13	9	8	13	11	6	-	120
Washington	-	6	7	5	2	4	3	3	-	-	30
Oregon	-	2	1	2	1	-	-	1	2	-	9
California	3	23	13	5	6	4	10	7	4	-	75
Alaska	-	-	-	-	-	-	-	-	-	-	-
Hawaii	2	3	-	1	-	-	-	-	-	-	6
Puerto Rico	1	4	2	-	-	-	-	-	-	-	7

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1961 - Continued
(F) TYPHOID FEVER

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	814
NEW ENGLAND	-	3	5	4	-	-	4	3	5	-	24
Maine	-	-	-	-	-	-	1	-	-	-	1
New Hampshire	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	3	5	3	-	-	2	1	1	-	15
Rhode Island	-	-	-	1	-	-	1	1	2	-	5
Connecticut	-	-	-	-	-	-	-	1	2	-	3
MIDDLE ATLANTIC	-	9	18	17	6	5	...20...		19	1	95
New York	-	4	10	10	3	2	...10...		11	1	51
New Jersey	-	3	3	1	-	1	3	2	3	-	16
Pennsylvania	-	2	5	6	3	2	1	4	5	-	28
EAST NORTH CENTRAL	3	17	27	18	9	7	9	9	11	3	113
Ohio	2	8	14	6	4	-	3	4	5	3	49
Indiana	1	5	3	2	4	4	2	4	2	-	27
Illinois	-	3	8	9	-	2	3	1	2	-	28
Michigan	-	1	1	-	1	1	1	-	2	-	7
Wisconsin	-	-	1	1	-	-	-	-	-	-	2
WEST NORTH CENTRAL	-	3	7	5	4	4	6	4	7	3	43
Minnesota	-	-	-	-	-	-	1	1	3	-	5
Iowa	-	-	1	1	1	-	-	-	2	-	5
Missouri	-	3	4	3	3	4	5	-	2	-	24
North Dakota	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	1	-	-	-	1	-	1	3
Nebraska	-	-	-	-	-	-	-	2	-	1	3
Kansas	-	-	2	-	-	-	-	-	-	1	3
SOUTH ATLANTIC	1	23	23	21	...17...		11	16	20	5	137
Delaware	-	1	-	-	-	-	-	-	-	-	1
Maryland	-	2	-	1	1	-	-	-	1	-	5
District of Columbia	-	-	3	2	-	3	2	3	-	-	13
Virginia	-	4	5	2	1	2	-	2	5	-	21
West Virginia	-	1	2	2	-	2	1	1	2	-	11
North Carolina	-	3	4	4	3	1	3	4	1	-	23
South Carolina	-	1	2	-	-	-	2	3	-	-	8
Georgia	-	8	7	7	2	-	-	2	5	3	34
Florida	1	3	-	3	...2...		3	1	6	2	21
EAST SOUTH CENTRAL	...14...		9	11	12	4	12	11	16	-	89
Kentucky	1	1	3	3	2	-	2	4	3	-	19
Tennessee	1	8	4	3	8	2	8	4	9	-	47
Alabama	...2...		1	3	1	2	2	-	2	-	13
Mississippi	-	1	1	2	1	-	-	3	2	-	10
WEST SOUTH CENTRAL	2	19	19	18	19	11	16	20	23	10	157
Arkansas	-	3	5	3	3	1	5	5	7	-	32
Louisiana	1	6	4	3	4	3	1	3	1	-	26
Oklahoma	-	3	1	2	1	1	2	1	3	1	15
Texas	1	7	9	10	11	6	8	11	12	9	84
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	63
Montana	3	1	8	2	1	-	1	-	2	-	18
Idaho	-	-	-	-	-	-	1	1	1	-	3
Wyoming	-	-	-	-	1	-	-	2	-	-	3
Colorado	-	1	-	-	1	1	2	2	-	1	8
New Mexico	-	1	3	6	-	-	2	2	1	2	17
Arizona	1	3	1	-	-	1	1	1	1	2	11
Utah	-	-	-	-	-	-	-	-	-	-	-
Nevada	.....age distribution not available.....										3
PACIFIC	-	13	13	11	9	16	11	6	14	-	93
Washington	-	1	-	-	1	3	-	-	2	-	7
Oregon	-	-	-	-	1	-	-	-	1	-	2
California	-	11	13	11	7	13	11	6	9	-	81
Alaska	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	1	-	-	-	-	-	-	2	-	3
Puerto Rico	-	1	5	5	3	4	1	2	1	1	23

TABLE 12. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY MONTH, BY STATE, 1961

(A) HEPATITIS (infectious and serum)

AREA	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo Unk
UNITED STATES	72,651	6,703	7,524	8,253	7,861	6,851	5,089	4,752	4,836	4,912	4,791	5,024	6,002	53
NEW ENGLAND	2,491	235	241	202	160	213	150	151	203	224	248	218	246	-
Maine	215	12	8	11	16	14	9	10	15	18	20	26	56	-
New Hampshire	292	26	35	16	18	28	5	33	32	37	28	26	8	-
Vermont	196	62	13	22	13	7	14	11	22	10	11	4	7	-
Massachusetts	1,055	66	74	73	47	73	69	58	97	110	135	124	129	-
Rhode Island	250	15	44	31	25	27	14	16	19	16	16	14	13	-
Connecticut	483	54	67	49	41	64	39	23	18	33	38	24	33	-
MIDDLE ATLANTIC	9,461	1,054	1,219	1,170	925	860	709	508	556	597	600	600	663	-
New York	4,200	386	481	568	383	394	362	237	258	278	308	267	278	-
New Jersey	2,188	249	334	260	202	226	131	109	122	124	126	144	161	-
Pennsylvania	3,073	419	404	342	340	240	216	162	176	195	166	189	224	-
EAST NORTH CENTRAL	14,821	1,304	1,446	1,564	1,660	1,534	1,021	945	937	870	959	1,096	1,432	53
Ohio	4,981	586	594	503	563	420	250	244	282	284	294	361	547	53
Indiana	2,163	123	233	302	340	245	149	133	86	115	99	110	228	-
Illinois	2,667	186	246	264	232	331	187	154	209	192	216	210	240	-
Michigan	4,607	378	327	452	495	495	419	389	335	254	326	360	377	-
Wisconsin	403	31	46	43	30	43	16	25	25	25	24	55	40	-
WEST NORTH CENTRAL	7,089	596	775	846	945	656	497	474	346	360	420	485	689	-
Minnesota	1,802	128	216	197	161	162	122	82	60	75	124	220	255	-
Iowa	1,988	94	195	219	370	229	123	159	96	139	120	96	148	-
Missouri	1,503	162	146	208	212	128	99	122	85	74	62	69	136	-
North Dakota	183	21	15	13	15	15	13	10	5	5	23	10	38	-
South Dakota	193	37	42	14	16	5	3	3	10	11	38	9	5	-
Nebraska	656	54	72	102	84	54	82	46	43	31	20	37	31	-
Kansas	764	100	89	93	87	63	55	52	47	25	33	44	76	-
SOUTH ATLANTIC	9,285	776	888	1,019	1,021	804	704	726	597	672	684	683	711	-
Delaware	185	21	18	21	41	15	13	13	12	15	7	5	4	-
Maryland	834	82	84	85	82	74	73	85	39	34	45	49	102	-
District of Columbia	153	7	9	13	11	9	11	13	9	26	13	10	22	-
Virginia	1,558	91	88	115	157	180	118	199	97	96	139	132	146	-
West Virginia	1,619	147	212	216	266	131	88	74	90	107	62	120	106	-
North Carolina	2,206	192	217	257	199	142	118	135	156	191	236	186	177	-
South Carolina	517	91	43	35	55	41	20	18	18	46	43	60	47	-
Georgia	771	74	110	146	71	76	47	56	31	41	43	41	35	-
Florida	1,442	71	107	131	139	136	216	133	145	116	96	80	72	-
EAST SOUTH CENTRAL	10,751	1,156	1,264	1,364	1,209	961	664	602	563	810	663	677	818	-
Kentucky	3,188	422	363	403	237	364	198	183	158	222	174	224	240	-
Tennessee	4,198	493	534	503	573	336	224	223	206	298	224	256	328	-
Alabama	1,843	183	206	194	225	139	160	136	123	126	125	84	142	-
Mississippi	1,522	58	161	264	174	122	82	60	76	164	140	113	108	-
WEST SOUTH CENTRAL	5,075	364	537	612	644	541	419	329	316	406	306	270	331	-
Arkansas	1,007	65	117	135	129	109	43	67	82	73	57	68	62	-
Louisiana	568	24	42	76	62	72	49	48	36	42	49	37	31	-
Oklahoma	346	37	51	18	56	45	25	11	20	23	22	19	19	-
Texas	3,154	238	327	383	397	315	302	203	178	268	178	146	219	-
MOUNTAIN	4,086	428	452	490	520	444	280	275	204	220	231	226	316	-
Montana	351	54	66	28	55	25	25	17	13	16	9	15	28	-
Idaho	331	36	19	27	24	37	31	37	25	16	24	24	31	-
Wyoming	162	5	7	37	37	2	14	14	13	7	14	6	6	-
Colorado	1,417	177	167	165	175	192	83	70	71	75	74	82	86	-
New Mexico	326	31	41	36	36	26	25	27	21	23	23	23	14	-
Arizona	706	41	39	81	113	74	56	61	14	47	66	30	84	-
Utah	652	70	99	101	65	73	38	39	31	27	17	34	58	-
Nevada	141	14	14	15	15	15	8	10	16	9	4	12	9	-
PACIFIC	9,592	790	702	986	777	838	645	742	1,114	753	680	769	796	-
Washington	1,234	89	118	142	107	103	58	63	88	114	76	107	169	-
Oregon	1,453	155	117	138	145	102	105	107	102	139	118	105	120	-
California	6,412	516	433	636	513	608	471	545	802	454	436	513	485	-
Alaska	426	21	32	63	11	15	7	20	115	39	44	40	19	-
Hawaii	67	9	2	7	1	10	4	7	7	7	6	4	3	-
Puerto Rico	1,059	21	62	103	106	120	147	73	96	85	71	75	100	-

TABLE 12. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY MONTH, BY STATE, 1961 - Continued

(B) TYPHOID FEVER

AREA	Total	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Mo Unk
UNITED STATES	814	44	35	40	45	57	74	91	127	105	88	61	47	-
NEW ENGLAND	24	-	1	2	3	-	-	3	9	1	3	-	2	-
Maine	1	-	-	1	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	15	-	1	-	-	-	-	2	8	1	2	-	1	-
Rhode Island	5	-	-	1	-	-	-	1	1	-	1	-	1	-
Connecticut	3	-	-	-	3	-	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC	95	2	3	2	5	10	14	12	8	11	14	11	3	-
New York	51	1	1	1	2	5	8	5	1	8	9	8	2	-
New Jersey	16	-	1	-	-	3	2	4	3	1	2	-	-	-
Pennsylvania	28	1	1	1	3	2	4	3	4	2	3	3	1	-
EAST NORTH CENTRAL	113	3	2	4	10	6	11	8	21	10	13	15	10	-
Ohio	49	1	2	2	1	3	4	4	6	3	7	13	3	-
Indiana	27	-	-	-	1	1	4	1	8	3	2	1	6	-
Illinois	28	1	-	2	8	2	3	2	5	1	3	1	-	-
Michigan	7	1	-	-	-	-	-	1	1	2	1	-	1	-
Wisconsin	2	-	-	-	-	-	-	-	1	1	-	-	-	-
WEST NORTH CENTRAL	43	2	5	3	3	4	3	4	4	6	1	3	5	-
Minnesota	5	-	3	1	1	-	-	-	-	-	-	-	-	-
Iowa	5	-	1	-	-	-	1	-	1	1	-	1	-	-
Missouri	24	2	1	1	1	3	1	2	3	4	1	1	4	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	3	-	-	-	-	-	1	2	-	-	-	-	-	-
Nebraska	3	-	-	-	-	1	-	-	-	-	-	1	1	-
Kansas	3	-	-	1	1	-	-	-	-	1	-	-	-	-
SOUTH ATLANTIC	137	11	2	11	5	10	9	15	20	21	14	13	6	-
Delaware	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Maryland	5	-	-	-	-	-	-	1	1	-	1	1	1	-
District of Columbia	13	-	-	2	-	4	-	3	-	1	2	1	-	-
Virginia	21	-	-	-	1	-	1	-	7	7	4	1	-	-
West Virginia	11	1	-	3	-	-	-	2	3	-	1	-	1	-
North Carolina	23	4	1	1	-	2	-	6	3	2	3	1	-	-
South Carolina	8	1	-	-	1	-	-	1	2	3	-	-	-	-
Georgia	34	4	1	4	2	1	5	2	2	6	3	2	2	-
Florida	21	1	-	1	1	3	2	-	2	2	-	7	2	-
EAST SOUTH CENTRAL	89	4	8	5	5	6	3	9	7	12	14	4	12	-
Kentucky	19	1	1	2	-	2	-	1	1	5	5	1	-	-
Tennessee	47	1	7	3	5	4	1	5	6	5	6	3	1	-
Alabama	13	2	-	-	-	-	1	3	-	1	3	-	3	-
Mississippi	10	-	-	-	-	-	1	-	-	1	-	-	8	-
WEST SOUTH CENTRAL	157	3	6	10	7	9	20	30	26	20	11	7	8	-
Arkansas	32	-	-	2	1	1	3	4	7	5	5	2	2	-
Louisiana	26	1	2	1	-	1	1	6	5	4	3	1	1	-
Oklahoma	15	1	1	-	1	1	2	4	2	1	-	-	2	-
Texas	84	1	3	7	5	6	14	16	12	10	3	4	3	-
MOUNTAIN	63	5	2	2	2	6	6	5	19	6	7	3	-	-
Montana	18	1	-	-	-	2	-	2	9	2	2	-	-	-
Idaho	3	-	-	-	-	-	2	1	-	-	-	-	-	-
Wyoming	3	-	-	-	-	1	-	-	2	-	-	-	-	-
Colorado	8	3	1	1	-	-	1	-	1	-	1	-	-	-
New Mexico	17	1	-	-	2	1	1	1	4	4	2	1	-	-
Arizona	11	-	1	1	-	2	1	1	1	-	2	2	-	-
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	3	-	-	-	-	-	1	-	2	-	-	-	-	-
PACIFIC	93	14	6	1	5	6	8	5	13	18	11	5	1	-
Washington	7	1	-	-	1	1	-	3	1	-	-	-	-	-
Oregon	2	-	-	-	-	-	-	-	-	1	-	-	1	-
California	81	13	6	1	4	5	8	2	12	17	9	4	-	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	3	-	-	-	-	-	-	-	-	-	2	1	-	-
Puerto Rico	23	-	4	2	1	3	1	2	4	2	2	-	2	-

TABLE 13. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1961

AREA	ACTINO-MYCOSIS	ANIMAL BITES	ANKLYO-STOMIASIS (Hookworm)	CHICKENPOX	COCCIDIOIDO-MYCOSIS	CONJUNCTI-VITIS, IN-FECTIOUS	DERMATOPHYTOSIS (Ringworm)
NEW ENGLAND							
Maine	-	-	-	2,302	-	-	52
New Hampshire	-	-	-	659	-	-	-
Vermont	-	-	-	1,725	-	-	-
Massachusetts	-	14,799	-	14,892	-	-	-
Rhode Island	-	-	-	1,476	-	-	-
Connecticut	1	-	83	10,257	-	49	138
MIDDLE ATLANTIC							
New York	-	-	-	20,829	-	-	-
New Jersey	-	-	-	-	-	-	-
Pennsylvania	-	13,846	271	-	-	-	-
EAST NORTH CENTRAL							
Ohio	-	-	3	12,962	-	-	-
Indiana	1	6,966	1	5,159	-	-	-
Illinois	-	24,608	-	14,611	-	-	136
Michigan	1	21,714	-	15,778	-	467	2,053
Wisconsin	-	-	-	38,339	-	-	153
WEST NORTH CENTRAL							
Minnesota	-	-	5	94	4	-	19
Iowa	3	-	-	5,549	-	-	-
Missouri	-	-	1	1,572	1	-	340
North Dakota	-	-	-	2,597	-	-	-
South Dakota	-	-	-	81	-	-	-
Nebraska	-	-	-	68	-	-	-
Kansas	-	-	-	-	-	-	143
SOUTH ATLANTIC							
Delaware	-	-	-	612	-	-	-
Maryland	-	-	-	1,634	-	-	-
District of Columbia	-	-	-	354	-	-	-
Virginia	-	-	-	-	-	-	-
West Virginia	-	763	8	2,426	-	95	-
North Carolina	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-
Georgia	-	-	6,680	6	-	-	-
Florida	-	-	2,704	3,894	-	-	-
EAST SOUTH CENTRAL							
Kentucky	-	-	91	4,091	-	631	-
Tennessee	-	-	-	-	-	-	-
Alabama	1	-	-	1,208	-	-	-
Mississippi	-	-	1,385	904	-	-	-
WEST SOUTH CENTRAL							
Arkansas	-	1,209	12	709	1	-	-
Louisiana	-	-	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-
Texas	-	-	-	-	-	-	-
MOUNTAIN							
Montana	-	-	-	2,001	-	-	50
Idaho	-	-	-	776	-	-	-
Wyoming	-	-	1	85	-	-	-
Colorado	-	-	-	-	-	-	95
New Mexico	-	-	-	673	1	-	1
Arizona	1	-	7	4,748	795	68	1,606
Utah	-	-	-	1,277	-	-	97
Nevada	-	-	-	384	-	-	-
PACIFIC							
Washington	-	-	-	14,981	-	-	-
Oregon	-	-	-	37	2	83	81
California	-	-	-	-	211	-	-
Alaska	-	-	-	732	-	-	127
Hawaii	-	-	3	1,702	-	22	-
Puerto Rico	-	-	-	710	-	-	90

TABLE 13. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1961 - Continued

AREA	DIARRHEA OF NEWBORN	ERYSIPELAS	GASTRO-ENTERITIS, FOOD POISONING, DYSENTERY, UNSP.	HISTOPLASMOSIS	IMPETIGO	INTESTINAL PARASITES
NEW ENGLAND						
Maine	16	-	221	-	192	-
New Hampshire	-	-	-	-	-	-
Vermont	-	-	-	-	-	-
Massachusetts	-	-	-	-	-	-
Rhode Island	-	1	-	-	-	-
Connecticut	-	17	25	-	-	-
MIDDLE ATLANTIC						
New York	112	-	935	-	1	-
New Jersey	2	-	3	-	-	-
Pennsylvania	-	-	-	3	-	-
EAST NORTH CENTRAL						
Ohio	57	4	-	10	-	10
Indiana	-	23	-	25	-	-
Illinois	58	-	1,187	15	10	-
Michigan	484	35	-	-	1,709	-
Wisconsin	1	-	3	24	-	-
WEST NORTH CENTRAL						
Minnesota	24	5	772	5	-	9
Iowa	-	-	-	38	-	-
Missouri	3	3	-	7	-	-
North Dakota	-	30	-	-	-	-
South Dakota	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-
Kansas	6	-	-	3	-	10
SOUTH ATLANTIC						
Delaware	-	-	-	-	-	-
Maryland	-	-	-	1	-	2
District of Columbia	-	-	-	-	-	1
Virginia	-	-	-	7	-	-
West Virginia	32	-	-	-	-	8
North Carolina	-	-	276	-	-	-
South Carolina	-	-	-	-	-	-
Georgia	-	-	-	-	-	-
Florida	155	5	190	1	336	-
EAST SOUTH CENTRAL						
Kentucky	-	2	1,755	13	-	1
Tennessee	-	-	-	-	-	-
Alabama	-	-	-	10	-	-
Mississippi	42	-	-	53	-	369
WEST SOUTH CENTRAL						
Arkansas	-	-	-	32	-	7
Louisiana	-	-	-	1	-	-
Oklahoma	-	-	-	-	-	-
Texas	-	-	-	-	-	-
MOUNTAIN						
Montana	-	-	-	-	-	-
Idaho	-	4	-	-	-	-
Wyoming	-	-	-	-	-	-
Colorado	-	-	-	-	-	-
New Mexico	-	-	13,028	1	-	-
Arizona	-	3	3,793	-	4,119	-
Utah	-	-	29	-	-	-
Nevada	-	-	14	-	-	-
PACIFIC						
Washington	2	-	-	-	-	-
Oregon	1	8	56	1	5	-
California	47	-	2,650	-	-	-
Alaska	-	2	493	-	548	-
Hawaii	-	2	1,456	-	-	-
Puerto Rico	-	-	-	-	-	-

TABLE 13. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1961 - Continued

AREA	MONONUCLEOSIS, INFECTIOUS	MUMPS	Q-FEVER	RESPIRATORY INFECTIONS		RUBELLA (German Measles)	VINCENT'S ANGINA
				INFLUENZA, OTHER UPPER	PNEUMONIA		
NEW ENGLAND							
Maine	40	2,739	-	71	523	1,436	-
New Hampshire	1	450	-	-	-	217	3
Vermont	129	1,600	-	-	-	-	-
Massachusetts	-	12,009	-	-	-	6,443	-
Rhode Island	37	996	-	-	-	313	2
Connecticut	641	6,460	2	243	1,088	2,748	-
MIDDLE ATLANTIC							
New York	-	4,694	-	-	-	4,465	-
New Jersey	-	-	-	142	4,345	-	-
Pennsylvania	366	-	-	-	-	-	-
EAST NORTH CENTRAL							
Ohio	55	9,620	-	-	-	1,607	7
Indiana	249	5,363	-	-	-	1,371	-
Illinois	-	11,234	-	-	-	3,438	-
Michigan	293	17,206	-	622	-	1,224	-
Wisconsin	-	15,591	9	120	-	5,418	-
WEST NORTH CENTRAL							
Minnesota	942	339	-	26	-	1	4
Iowa	50	4,621	-	-	-	482	-
Missouri	23	1,171	-	964	2	-	3
North Dakota	-	2,009	-	-	-	-	-
South Dakota	-	5	-	-	-	-	-
Nebraska	-	120	-	-	-	-	-
Kansas	-	-	2	-	-	-	-
SOUTH ATLANTIC							
Delaware	2	347	-	-	-	276	-
Maryland	9	746	-	-	-	391	-
District of Columbia	6	81	-	8	879	50	-
Virginia	-	-	-	-	-	-	-
West Virginia	97	2,435	-	23,460	-	748	-
North Carolina	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-
Georgia	-	-	-	-	-	34	-
Florida	-	4,007	-	4,176	-	732	1
EAST SOUTH CENTRAL							
Kentucky	109	4,062	-	-	-	2,034	8
Tennessee	-	-	1	48,037	-	-	-
Alabama	-	435	-	-	-	60	-
Mississippi	109	635	-	-	-	2	-
WEST SOUTH CENTRAL							
Arkansas	43	769	-	-	-	168	-
Louisiana	-	-	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-
Texas	-	-	-	-	-	-	-
MOUNTAIN							
Montana	1	-	-	-	-	747	-
Idaho	67	497	22	-	-	87	9
Wyoming	19	165	-	-	-	-	-
Colorado	-	3,106	-	7,645	-	1,803	-
New Mexico	3	161	-	19,216	1,159	41	-
Arizona	203	4,270	-	24,516	1,072	1,751	-
Utah	9	1,000	3	4,517	1	110	-
Nevada	1	274	-	183	70	-	-
PACIFIC							
Washington	29	14,692	-	-	-	3,176	6
Oregon	-	-	1	32,956	2,246	2,298	-
California	-	23,177	29	-	-	-	-
Alaska	32	1,994	-	13,170	685	89	15
Hawaii	-	720	-	784	371	50	-
Puerto Rico	-	266	-	1,965	-	-	-

TABLE 14. OTHER DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, 1961
(Diseases Reported by Six States or Less)

Adenovirus infection	Minn. 10
Blastomycosis	Ark. 5, Ill. 1, Md. 1, Minn. 1, Miss. 6, Va. 2
Brill's disease	Pa. 3
Cat scratch fever	Colo. 3, Ore. 1, Va. 5
Coccidiosis	N.M. 1
Colorado tick fever	Colo. 170, Ida. 2, Nev. 1, Ore. 14, Utah 3, Wyo. 13
Coxsackie infection (excl. meningitis)	Minn. 13, Mont. 18
Cryptococcosis	Ill. 5, Kans. 1, Va. 3
ECHO infection (excl. meningitis)	Minn. 10
Erythema, infectiosum	Minn. 3
Keratoconjunctivitis	Alaska 718, Ind. 112, Mich. 33 Minn. 2, N.Y. 5
Listeriosis	Pa. 2
Lymphocytic choriomeningitis	Ariz. 1, D.C. 1, Ind. 12, Miss. 2, Ore. 11, Pa. 3
Opthalmia neonatorum	Ill. 2, N.J. 4, Pa. 3
Otitis media	Alaska 4428
Pediculosis	Me. 16, Mich. 66
Pemphigus neonatorum	Ariz. 2
Pleurodynia	Kans. 4
Puerperal infection	Ariz. 2, Conn. 1
Rat bite fever	D.C. 1, Ind. 1
Relapsing fever, tick-borne	Calif. 8, Tex. 1
Rickettsialpox	N.Y. 3, Utah 1
Roseola infantum	N.M. 12
Sarcoidosis	Minn. 1
Scabies	Colo. 12, Me. 11, Mich. 74
Schistosomiasis	N.Y. 340
Staphylococcal infection	Alaska 354, D.C. 2, Ill. 745, Ore. 61, Wash. 3949
Toxoplasmosis	Minn. 2
Trachoma	Ariz. 1204, Calif. 25, Colo. 3, Nev. 111, Ore. 20
Urethritis, nonspecific	N.Y. 1311
Vaccinia	Md. 3
Bilharziasis	Puerto Rico 678

UNIVERSITY OF FLORIDA
3 1262 08863 9900

UNIV OF FL LIB
DOCUMENTS DEPT
U.S DEPOSITORY

U. S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
Communicable Disease Center
Atlanta 22, Georgia

Official Business

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF H. E. W.

AIR MAIL